




MATTAMY / KINDRED CATALOGUE 2024



STANDARDS

CURRENT STANDARD

REGINOX #ND1831UA-9



SPECIFICATIONS

Outside Sink Rim Dimensions: 17 3/4" FB x 30 7/8" LR

Equal Size Bowl Dimensions: 16" FB x 14" LR x 8 1/2" DP

Minimum Cabinet Size: 33"

Installation: Undermount

Gauge: 18

Corner Radius: 50mm

Finish: Linear Brushed Bowl with Silk Finished Rim

Drain Hole Location: Rear

Sound Dampening: Undercoating

Shipping Weight: 18.8 lbs


[LEARN MORE](#)

CURRENT STANDARD

STEEL QUEEN #QDL2031-7



QDL2031-7-4 (4 faucet holes)
QDL2031-7-3 (3 faucet holes)
QDL2031-7-1 (1 faucet hole)



SPECIFICATIONS



Outside Sink Rim Dimensions: 20 1/2" FB x 31 1/4" LR

Equal Size Bowl Dimensions: 16" FB x 14" LR x 7" DP

Minimum Cabinet Size: 33"

Installation: Topmount / Drop In

Gauge: 20

Corner Radius: 50mm

Finish: Satin Finished Bowls with Mirror Finished Rim

Drain Hole Location: Rear

Sound Dampening: Undercoating

Shipping Weight: 15.9 lbs


[LEARN MORE](#)



UPGRADES

UPGRADE

BROOKMORE U1 #BSU1832-9



SPECIFICATIONS

Outside Sink Rim Dimensions: 18 1/8" FB x 32 1/2" LR

Single Bowl Dimensions: 16 1/2" FB x 30 7/8" LR x 9" DP

Minimum Cabinet Size: 33"

Installation: Undermount

Gauge: 18

Corner Radius: 20mm

Finish: Satin Finish

Drain Hole Location: Rear


Sound Dampening: Sound Pads

Shipping Weight: 22.2 lbs

[LEARN MORE](#)

UPGRADE

BROOKMORE U2 #BDU1831-9



SPECIFICATIONS

Outside Sink Rim Dimensions: 18 1/8" FB x 30 1/2" LR

Equal Size Bowl Dimensions: 16 1/2" FB x 13 15/16" LR x 9" DP

Minimum Cabinet Size: 33"

Installation: Undermount

Gauge: 18

Corner Radius: 20mm

Finish: Satin Finish

Drain Hole Location: Rear


Sound Dampening: Sound Pads

Shipping Weight: 24.8 lbs

[LEARN MORE](#)

UPGRADE

BROOKMORE U1.75 #BCU1835R-9



SPECIFICATIONS

Outside Sink Rim Dimensions: 18 1/8" FB x 34 1/2" LR

Large Bowl Dimensions: 16 1/2" FB x 17 15/16" LR x 9" DP

Small Bowl Dimensions: 16 1/2" FB x 13 15/16" LR x 9" DP

Minimum Cabinet Size: 36"

Installation: Undermount

Gauge: 18

Corner Radius: 20mm

Finish: Satin Finish

Drain Hole Location: Rear


Sound Dampening: Sound Pads

Shipping Weight: 26.7 lbs

[LEARN MORE](#)

UPGRADE

MARIS U1 #MAG11031-S



SPECIFICATIONS

Interior Dimensions: 31 1/2" x 16 5/8" x 9 1/2"

Exterior Dimensions: 33" x 18 15/16"

Minimum Cabinet Size: 36"

Installation: Undermount

Weight: 37 lbs.


Corner Radius: 16mm

[LEARN MORE](#)

-  Matte Black
MAG11031-MBK-S
-  Stone Grey
MAG11031-SHG-S
-  Polar White
MAG11031-PWT-S

UPGRADE

MARIS U2 #MAG1201414-S



SPECIFICATIONS

Interior Dimensions: 29 1/2" x 15 9/16" x 9 1/2"

Exterior Dimensions: 31" x 17 13/16"

Minimum Cabinet Size: 33"

Installation: Undermount

-  Matte Black
MAG1201414-MBK-S
-  Stone Grey
MAG1201414-SHG-S
-  Polar White
MAG1201414-PWT-S

Weight: 40 lbs.

Corner Radius: 16mm


[LEARN MORE](#)



ISLAND/BAR

UPGRADE

REGINOX #NS1820UA-9



SPECIFICATIONS

Outside Sink Rim Dimensions: 17 3/4" FB x 19 3/4" LR

Single Bowl Dimensions: 16" FB x 18" LR x 8 1/2" DP

Minimum Cabinet Size: 21"

Installation: Undermount

Gauge: 18

Corner Radius: 70mm

Finish: Linear Brushed Bowl with Silk Finished Rim

Drain Hole Location: Rear


Sound Dampening: Undercoating

Shipping Weight: 11.9 lbs

[LEARN MORE](#)

UPGRADE

BROOKMORE #BSU1816-9



SPECIFICATIONS

Outside Sink Rim Dimensions: 18 1/8" FB x 15 9/16" LR

Single Bowl Dimensions: 16 1/2" FB x 13 15/16" LR x 9" DP

Minimum Cabinet Size: 18"

Installation: Undermount

Gauge: 18

Corner Radius: 20mm

Finish: Satin Finish

Drain Hole Location: Rear

Sound Dampening: Sound Pads

Shipping Weight: 14 lbs


[LEARN MORE](#)



LAUNDRY

UPGRADE

STEEL QUEEN #QS1820-10



SPECIFICATIONS



Outside Sink Rim Dimensions: 18 1/8" FB x 20 1/8" LR

Single Bowl Dimensions: 16" FB x 18" LR x 10" DP

Minimum Cabinet Size: 24"

Installation: Topmount / Drop In

Gauge: 20

Corner Radius: 70mm

Finish: Satin Finished Bowl with Mirror Finished Rim

Drain Hole Location: Center

Sound Dampening: Undercoating

Shipping Weight: 13.8 lbs

[LEARN MORE](#)


UPGRADE

STEEL QUEEN #QSLF2020-12



QSLF2020-12-3 (3 faucet holes)

QSLF2020-12-1 (1 faucet hole)



SPECIFICATIONS

Outside Sink Rim Dimensions: 20 9/16" FB x 20 1/8" LR

Single Bowl Dimensions: 16" FB x 18" LR x 12" DP

Minimum Cabinet Size: 24"

Installation: Dualmount

Gauge: 18

Corner Radius: 25mm

Finish: Satin Finish

Drain Hole Location: Rear

Sound Dampening: Sound Pads & Undercoating

Shipping Weight: 32.3 lbs

[LEARN MORE](#)